Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L22	5310	"375"/$ and (training or (classification adj based))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:39
L23	454	22 and (mode near3 (selection or optimal or best))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:40
L24	13	23 and ((training or feature) near2 vector$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:40
S1	119651	mode near2 select$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 14:09
S2	5204	$3coding adj2 mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:55
S3	19885	(coding or compress$4) with cost	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:55
S4	128	S1 and S2 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 14:11
S5	75	S4 and @ad<"20020228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:38
S9	431	375/240.13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/18 17:42

S10	124	S9 and cost	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/18 17:42
S11	7	S10 and (optimal near2 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/18 17:42
S17	27	(((best or optimal) near2 mode) same ((intra and inter) or (frame adj skip$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 16:24
S18	63386	"375"/$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 16:24
S19	3459	S18 and ((best or optimal) near2 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 16:24
S20	119	S19 and ((intra and inter) same mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 16:24
S21	17	S20 and (((best or optimal) near2 mode) same ((intra and inter) same mode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 16:24
S22	10	S17 not S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 16:24
S23	436	375/240.13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 16:50
S24	57	S23 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 16:26

S25	52	S24 not S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 16:26
S26	5	S23 and (optimal adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 17:01
S27	5271	"375"/$ and (training or (classification adj based) or (fuzzy adj logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:39
S28	14	"375"/240.13 and (training or (classification adj based) or (fuzzy adj logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 17:06
S29	432	"375"/$ and ((training adj phase) or (classification adj based) or (fuzzy adj logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 17:53
S30	388	S29 and @ay<"2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 17:49
S31	11121	(mode near2 select$6) same ((previous or past) adj frame$2 or block$2 or macroblock$2 or GOP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 17:50
S32	618	((mode near2 select$4) same (macroblock$2 or block$2 or frame$2)) and 375/240$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 14:10
S33	354	S32 and @ad<"20020228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 14:10
S34	123767	mode near2 select$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 14:11

S35	5417	$3coding adj2 mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 14:11
S36	20547	(coding or compress$4) with cost	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 14:11
S37	146	S34 and S35 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 14:11
S38	336	S33 not S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 11:16
S39	128	((content or classification) adj based) near4 (mode or encod$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 11:17
S40	74	S39 and @ad<"20020228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 12:27
S41	10	("5510857" | "5691771" | "5740340" | "5761398" | "5786860" | "5793895" | "5801778" | "5809270" | "5815646" | "5825931").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/12 12:26
S42	1616	(feature same (mode adj select$5))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/12 12:26
S43	60	S42 and (feature near3 (block or macroblock or frame or (video adj data)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/12 12:27
S44	40	S43 and @ad<"20020228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 17:08
S45	10	375/240.07 and 375/240.13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 13:40

S46	440	375/240.13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 13:40
S47	42	S46 and (first near2 (sample or portion))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 16:04
S48	11	(sample adj (stream or video)) same ((adjust or determine or setup) near2 (variables or parameter$2 or threshold$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 16:53
S49	5	(sampl$5 adj (bitstream or video)) same ((adjust or determine or setup) near2 (variables or parameter$2 or threshold$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 16:54
S50	0	(sampl$5 adj (bitstream or video)) same ((adjust$5 or setup or configurable) near2 (encoder))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 16:55
S51	12	(sampl$5 adj (bitstream or video)) and ((adjust$5 or setup or configurable) near2 (encoder))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 16:56
S52	47	(sampl$5 near2 (bitstream or video)) and ((adjust$5 or setup or configurable) near2 (encoder))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 17:06
S53	515	video and ((adjust$5 or setup or configurable or adaptable) near2 (encoder))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 17:07
S54	165	S53 and (sampling or (first adj (portion or sample)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 17:08
S55	137	S54 not S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 17:08

S56	93	S55 and @ad<"20020228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 17:08
S57	4	("5969764" | "6307964" | "6345279" | "6400846").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/12 17:27
S58	4491	feature adj vector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:37
S59	5489	feature adj vector$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:37
S60	1430	S59 and (video)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:37
S61	546	S60 and (cost or SAD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:38
S64	136	S61 and (feature adj space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:38
S65	83	S64 and @ad<"20020228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:54
S66	31	S65 and probabilistic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 13:12
S68	5489	feature adj vector$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 13:12

S69	1430	S68 and (video)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 14:19
S70	546	S69 and (cost or SAD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 13:12
S71	136	S70 and (feature adj space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 14:35
S72	83	S71 and @ad<"20020228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 13:12
S73	31	S72 and probabilistic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 14:20
S74	256	S68 and ((video near2 (encod$5 or compress$2)) or mpeg$4 or "h. 26$3")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 14:20
S75	256	S68 and ((video near2 (encod$5 or compress$2)) or mpeg$4 or "h. 263" or "h.261")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 14:20
S76	37	S75 and probabilistic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 14:21
S77	36	S76 not S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 14:21
S78	44	S75 and (feature adj space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 14:35

S79	37	S78 not S76	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 14:49
S80	11	S68 and (bayes adj decision adj theory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 14:50
S81	181	S68 and ((optimal or best) near2 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 14:59
S82	17	S75 and S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 14:59
S83	7	("5532833" | "5708767" | "5751377" | "5790236" | "5821945" | "6587637" | "6774917").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/13 15:04

PALM Intranet

Application Number [   ] [SEARCH]

IDS Flag Clearance for Application [10085616]

IDS Information

	Content	Mailroom Date	Entry Number	IDS Review	Reviewer
	M844	09-05-2003	15	☑	08-11-2005 00:26:05 IDS CONV

[UPDATE]